

Audit Report **Felysyum**

March 2025

Network MATIC

Address 0xEe997788f625809332BaABB3110BCf1BA7400824

Audited by © cyberscope

Analysis

Severity	Code	Description	Status
•	ST	Stops Transactions	Passed
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
٠	MT	Mints Tokens	Passed
•	BT	Burns Tokens	Passed
•	BC	Blacklists Addresses	Passed

• Pass

Diagnostics

Critical Medium Minor / Informative

Severity	Code	Description	Status
•	L15	Local Scope Variable Shadowing	Unresolved
•	L18	Multiple Pragma Directives	Unresolved
•	L19	Stable Compiler Version	Unresolved

Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
L15 - Local Scope Variable Shadowing	7
Description	7
Recommendation	7
L18 - Multiple Pragma Directives	8
Description	8
Recommendation	8
L19 - Stable Compiler Version	9
Description	9
Recommendation	9
Functions Analysis	10
Inheritance Graph	13
Flow Graph	14
Summary	15
Disclaimer	16
About Cyberscope	17

Risk Classification

Cyberscope

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

- 1. Likelihood of Exploitation: This considers how easily an attack can be executed, including the economic feasibility for an attacker.
- 2. **Impact of Exploitation**: This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

- 1. **Critical**: Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
- Medium: Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
- 3. **Minor**: Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
- 4. **Informative**: Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
Critical	Highly Likely / High Impact
Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
 Minor / Informative 	Unlikely / Low to no Impact

Review

Contract Name	Felysyum
Compiler Version	v0.8.20+commit.a1b79de6
Optimization	200 runs
Explorer	https://polygonscan.com/address/0xee997788f625809332baab b3110bcf1ba7400824
Address	0xee997788f625809332baabb3110bcf1ba7400824
Network	MATIC
Symbol	FELY
Decimals	18
Total Supply	500,000,000
Badge Eligibility	Yes


Audit Updates

Initial Audit	01 Mar 2025
---------------	-------------

Source Files

Filename	SHA256
Felysyum.sol	067db7ccc0fb4484477906d95b987d659b436a7b24f5721723a4b396d2 0e5c5a

Findings Breakdown



Sev	verity	Unresolved	Acknowledged	Resolved	Other
•	Critical	0	0	0	0
•	Medium	0	0	0	0
	Minor / Informative	3	0	0	0

L15 - Local Scope Variable Shadowing

Criticality	Minor / Informative
Location	Felysyum.sol#L735
Status	Unresolved

Description

Cyberscope

Local scope variable shadowing occurs when a local variable with the same name as a variable in an outer scope is declared within a function or code block. When this happens, the local variable "shadows" the outer variable, meaning that it takes precedence over the outer variable within the scope in which it is declared.

uint256 totalSupply = initialSupply * 10 ** decimals();

Recommendation

It's important to be aware of shadowing when working with local variables, as it can lead to confusion and unintended consequences if not used correctly. It's generally a good idea to choose unique names for local variables to avoid shadowing outer variables and causing confusion.

L18 - Multiple Pragma Directives

Criticality	Minor / Informative
Location	Felysyum.sol#L7,89,117,147,312,626,727
Status	Unresolved

Description

Cyberscope

If the contract includes multiple conflicting pragma directives, it may produce unexpected errors. To avoid this, it's important to include the correct pragma directive at the top of the contract and to ensure that it is the only pragma directive included in the contract.

```
pragma solidity ^0.8.20;
```

Recommendation

It is important to include only one pragma directive at the top of the contract and to ensure that it accurately reflects the version of Solidity that the contract is written in.

By including all required compiler options and flags in a single pragma directive, the potential conflicts could be avoided and ensure that the contract can be compiled correctly.

L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	Felysyum.sol#L89
Status	Unresolved

Description

Cyberscope

The symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

pragma solidity ^0.8.20;

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.

Functions Analysis


Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	\checkmark	-
	allowance	External		-
	approve	External	\checkmark	-
	transferFrom	External	\checkmark	-
IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
	_contextSuffixLength	Internal		
IERC20Errors	Interface			

IERC721Errors	Interface			
IERC1155Errors	Interface			
ERC20	Implementation	Context, IERC20, IERC20Meta data, IERC20Error s		
		Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	✓	-
	_transfer	Internal	√	
	_update	Internal	\checkmark	
	_mint	Internal	\checkmark	
	_burn	Internal	\checkmark	
	_approve	Internal	\checkmark	
	_approve	Internal	\checkmark	

	_spendAllowance	Internal	1	
Ownable	Implementation	Context		
		Public	1	-
	owner	Public		-
	_checkOwner	Internal		
	renounceOwnership	Public	1	onlyOwner
	transferOwnership	Public	1	onlyOwner
	_transferOwnership	Internal	1	
Felysyum	Implementation	ERC20, Ownable		
		Public	✓	ERC20 Ownable
	burn	External	1	onlyOwner
	getBalance	External		onlyOwner




Inheritance Graph



Flow Graph

🥏 Cyberscope



Summary

Felysyum contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Felysyum is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

cyberscope.io